

Product data sheet

E 740

Drive chain for daily ventilation in the 230 V area with a high level of operating convenience



Product features

- Aluminium housing and compact design
- Variable stroke adjustment via rotary switch, from outside of the drive
- Available as a Solo version (simple operation) and Synchro version (multifunctional operation)
- Synchronised multifunctional operation of up to four drives
- Front access permits simple and quick assembly

Application Areas

- Natural ventilation (230 V) in the façade and roof area
- Inward- and outward-opening bottom-hung, top-hung and side-hung and centre pivoted leaf windows
- Outward-opening roof windows and skylights
- Installation on wooden, plastic or metal windows
- Quick and simple installation from the front

Product Data Table

Productname	GEZE E 740
Possible stroke heights	100 mm, 200 mm, 300 mm, 400 mm
Holding force (max.)	1800 N
Cable dimensions	3 x
INWARD-opening bottom-hung window frame installation	Yes
INWARD-opening bottom-hung window casement installation	Yes
OUTWARD-opening bottom-hung window frame installation	Yes
INWARD-opening side-hung window frame installation	Yes
INWARD-opening side-hung window casement installation	Yes
OUTWARD-opening side-hung window frame installation	Yes
INWARD-opening top-hung window frame installation	Yes
INWARD-opening top-hung window casement installation	Yes
OUTWARD-opening top-hung window frame installation	Yes
OUTWARD-opening roof window	Yes

Accessory

Product name
Drive bracket for roof window for E 740 DUAL
Console AW E 740 RM/FM Mini
Drive bracket for roof window for E 740
Console AW E 740 RM/FM
Console EW E 740 RM
Console set EW E 740 FM
Swivel bracket EW E 740 RM
GEZE safety scissor no. 35
GEZE safety scissor no. 60