

Product data sheet

Rollan 40 NT glass

Sliding fitting system for glass doors with a leaf weight of 40 kg



Product features

Sliding door fitting for leaf weights of up to 40 kg
For glass leaves with a 30 mm glass clamping plate
Standardised track for Rollan 40 and 80 enables simple adaptation to changing conditions of use
Smooth roller carriages, which can be set in motion with little effort
Simple setting of the interval between the door leaf and track
Concealable suspension plates allow for the door to be installed with a small clearance between the track and the upper edge of the door
Tested in accordance with DIN EN 1527 over 50,000 test cycles for durability
Closed aluminium track protects against ingress of dust and dirt
Simple, direct ceiling mounting or bracket mounting on ceiling and wall

Application Areas

For lightweight interior sliding doors
For passage doors or partition walls in living and office areas
Lower space requirements for the door fitting means simple installation even in tight areas
Single and multiple-leaf sliding doors
Installation to the ceiling or in front of the wall

Accessory

Product name

Clip-on cover 100 profile
Leaf stop
Flush pull, 8-12 mm glass
Clamping insert, glass clamping plate 30 mm
Clip-on cover set 100 spacer bracket
Clip-on cover set 100 plastic clip
Height compensation mechanism / ceiling spacer set, with variable adjustment
Door handle rod, configured
Set of end caps, clip-on cover 100
Set of end caps, clip-on cover 100

Part

Product name
Cover profile glass clamping plate 30 mm
Cover profile glass clamping plate 30 mm
Cover profile glass clamping plate 30 mm
Floor guide for glass leaf (adjustable)
LSG glass / metal glue 50 g
LSG glass / metal glue 5x1 g
Set of caps for glass clamping plate 30 mm
Glass clamping plate 30 mm set, continuous cover
Glass clamping plate 30 mm set, with covering
Glass clamping plate 30 mm set, without cover
LSG glueing bracket set
GEZE Rollan 40 NT complete set
Set for end cap, glass clamping plate 30 mm