

# Product data sheet

## Powerturn F

Electromechanical swing door drive for 1-leaf fire and smoke protection doors



### Product features

Smart swing function for easy manual door opening
Adjustable closing force of EN3-7 with variable adjustment
Opening and closing speed can be individually adjusted
Mechanical latching action when operated without current, and electrical latching action in regular operation, which accelerates the door shortly before the closed position
Low-energy function opens and closes the door with reduced speed, fulfilling the highest safety requirements
Vestibule function controls the opening and closing of two consecutive doors (interlocking door system)
Obstacle detection detects objects through contact and stops the opening or closing process
Automatic reversing detects an obstacle and returns to the opening position
Push & Go function triggers the automatic drive components following light manual pressure on the door leaf
Drive can be used with roller guide rail or link arm
Servo function for motorized support when manually opening the door
Optional radio board for wireless activation by radio transmitter

### Application Areas

Fire and smoke protection doors
Right and left single leaf single-action doors
Single-action doors up to 1600 mm leaf width and 600 kg weight
Minimum leaf width 800 mm
Interior and exterior doors with high access frequency
Door leaf installation and transom installation

### Product Data Table

Product category	Automatic door drive
Type of installation	Overhead
Number of leaves	1-leaf
Sector	0 0 0 0 0 0 0 0
Suitability for fire protection doors	Yes
Hold-open of fire protection doors	Yes
Product type	Swing Door System

### Accessory

Product name
230V T terminal block Powerturn
GEZE GC 338
GC 342
Integrated opening restrictor
Spindle extension Powerturn
Adaptor for sensor link arm
GC GR for GC 338 Powerturn

### Part

Product name
GC GR for GC 338 Powerturn
GEZE Powerturn F
Link arm Powerturn / Powerturn F
Cover Powerturn
Powerturn / Powerturn F roller guide rail
Powerturn / Powerturn F roller guide rail
Connection - 230 V
Integrated opening restrictor