


# Product data sheet

# Perlän 140 set for timber leaves



Sliding door fitting for wall installation and timber leaves

#### AREAS OF APPLICATION

- For ceiling and wall mounting
- For leaf weights up to 80 kg

# Perlan 140 set for timber leaves



## PRODUCT FEATURES

→ Sliding door fitting for wall installation and timber leaf with up to 80 kg leaf weight

## TECHNICAL DATA

Productname	Perlan 140 set for timber leaves
Leaf weight (max.)	80 kg
Corrosion protection class	2
Colour	EV1

## VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	Leaf width (min.)	Leaf width (max.)
Perlan 140 set for timber leaves	For wall installation with suspension plate, standard wall bracket and Perlan SoftStop, up to 80 kg leaf weight. Perlan SoftStop one-sided, for track 2450 mm two-sided.	134892	EV1	860 mm	1240 mm
Perlan 140 set for timber leaves	For wall installation with suspension plate, standard wall bracket and Perlan SoftStop, up to 80 kg leaf weight. Perlan SoftStop one-sided, for track 2450 mm two-sided.	134891	EV1	535 mm	1000 mm

## PART

### FLOOR GUIDE FOR WOODEN LEAF

Floor guide for wooden leaves mounted on the floor



Designation	Description	Ident-No.	Colour
Floor guide for timber leaf standard	Without attachment material	002191	Galvanised

# Perlan 140 set for timber leaves



## END STOP PERLAN 140 (ALSO KS)

End stop for sliding leaves also suitable for outdoor use



Designation	Description	Ident-No.
End stop Perlan 140 (also KS)	Steel parts made of stainless steel	119362

## END CAP PERLAN TRACK

End cap Perlan track



Designation	Ident-No.	Colour
End cap Perlan track	119649	black

## PERLAN SOFTSTOP SET, SHORT VERSION, DAMPED ON ONE SIDE, UP TO 80 KG

Perlan SoftStop damping on one side for leaf weights up to 80 kg and leaf widths of 575 to 900 mm



Designation	Description	Ident-No.	Leaf width (min.)	Leaf width (max.)
Perlan SoftStop set, short, one side	The set includes: 2 x roller carriage with damping unit on one side, 2 x end stop, 1 x trigger with fixing screw, 2 x standard suspension plate	128876	575 mm	900 mm

# Perlan 140 set for timber leaves



## TRACK PERLAN 140

Track for sliding door fitting



Designation	Description	Ident-No.	Colour
Track Perlan 140	with countersunk drill holes (prepared for Perlan SoftStop)	142518	EV1
Track Perlan 140	with countersunk drill holes (prepared for Perlan SoftStop)	128660	EV1
Track Perlan 140	with countersunk drill holes (prepared for Perlan SoftStop)	128662	Stainless steel optic
Track Perlan 140	with countersunk drill holes (prepared for Perlan SoftStop)	135061	Stainless steel optic
Track Perlan 140	with countersunk drill holes (prepared for Perlan SoftStop)	135048	EV1
Track Perlan 140	with countersunk drill holes (prepared for Perlan SoftStop)	135050	Stainless steel optic
Track Perlan 140	with countersunk drill holes (prepared for Perlan SoftStop)	135049	Stainless steel optic
Track Perlan 140	with countersunk drill holes (prepared for Perlan SoftStop)	135047	EV1
Track Perlan 140	with countersunk drill holes (prepared for Perlan SoftStop)	142519	EV1
Track Perlan 140	with countersunk drill holes (prepared for Perlan SoftStop)	135046	EV1