

# Product data sheet

# GCVR 300 Touch T

# flush-mounted \*



RFID reader for GCER 300 access control

#### AREAS OF APPLICATION

- Inner and outer area (IP54)
- Non-secured outer area
- Secured inner area

# GCVR 300 Touch T flush-mounted \*



## PRODUCT FEATURES

- High-quality glass look
- Read-out of access authorisations
- Encrypted data communication with the door control unit
- Optical and acoustic signalling
- PIN keypad for assigning authorisations using a mastercard

## TECHNICAL DATA

Productname	GCVR 300 Touch T flush-mounted *
Dimensions	88 x 101 x 35 mm
Service temperature	-25 - 60 °C
Type of installation	Flush-mounted installation
IP rating	IP54
Keypad	Yes
Operating voltage	8 - 30 V DC
Frequency	13.56 Mhz
Master card system for programming the authorisations	Yes
Office mode	Yes

## VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	Supply voltage	Dimensions
GCVR 300 Touch T flush-mounted *	RFID reader with capacitive PIN keypad and elegant glass design / Frequency: 13.56 MHz, ISO 14443 A+B / Operating voltage: 8 - 30 V DC / Connection type: 8 pole Screw/plug-in terminal / Type of installation: flush mounting / Dimensions: flush mounting 101x88x35(21) mm / IP54 at the front (when mounted)	187108	black	8 - 30 V DC	88 x 101 x 35 mm



## ACCESSORIES

### WEATHER PROTECTION ROOF GCVR 300, 800 \*

Weather protection for RFID readers



Designation	Description	Ident-No.
Weather protection roof GCVR 300, 800 *	V2A material, with protective flap and accessories	163521

### ID CARD MIFARE \*

RFID ID card for authentication at access points



Designation	Description	Ident-No.	Colour	Dimensions
ID card MIFARE DESFire EV2 *	MIFARE DESFire / Colour: white on both sides / Front side with GEZE logo / Frequency: 13.56 MHz / Minimum order quantity: 10 pieces	185711	white RAL 9010	85.6 x 54 x 0.78 mm

### KEY FOB MIFARE \*

RFID ID card for authentication at access points



Designation	Description	Ident-No.	Colour	Dimensions
Key fob MIFARE DESFire EV2 *	MIFARE DESFire / Round design black / Lid colour: white / Front side with GEZE logo / Frequency: 13.56 MHz / Minimum order quantity: 10 pieces	185712	black	43 x 34.3 x 4.9 mm

\* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.