

Manufacturer GEZE GmbH

Product Name Door Closer TS 5000 Range with Guide Rail



Product Rating

- The product fulfills the requirements of action level 1 to 4 and contributes to achieve 10 (of max. 10) criterion points within Criterion 06 'Risks for the regional environment'.

Criterion 06 Risks for the Local Environment - Ecological Quality

Action Level 1	1 Point	<input checked="" type="checkbox"/>
Action Level 2	5 Points	<input checked="" type="checkbox"/>
Action Level 3	7.5 Points	<input checked="" type="checkbox"/>
Action Level 4	10 Points	<input checked="" type="checkbox"/>

Criterion 08 Sustainable Resources - Ecological Quality*

Action Level 1	1 Points	<input type="checkbox"/>
Action Level 2	5 Points	<input type="checkbox"/>
Action Level 3	10 Points	<input type="checkbox"/>

* This criterion is only applicable to wooden materials.

Product Characteristics

Guide rail door closer for single and double action doors with up to 1400 mm leaf width

The TS 5000 overhead door closer family is made of high quality aluminum housings in continuous GEZE design and is suitable for left as well as right hand doors with leaf widths up to 1400 mm. It is approved for mounting on fire doors. Closing force is in accordance to EN1154 as high as size 6 and easily adjustable from the front. The set closing force can be re-checked conveniently through the optical size indicator. Latching action, backcheck as well as the thermo-constant closing speed are easily adjustable from the front. Variants with delayed closing, closing sequence control or integrated smoke switches are available.

About DGNB Products - www.dgnb.de

This declaration helps to assess products easily according the certification system DGNB® Neubauversion Büro- und Verwaltungsgebäude (NBV09). Products are not reviewed or certified by DGNB. DGNB credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. Therefore the project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve DGNB points.

Below you find an explanation of the symbols. Detailed information are on the next pages.

<input checked="" type="checkbox"/>	Credit requirements fulfilled - the action level is achieved
<input type="checkbox"/>	Credit is not applicable to this product
22%	X% of the product comply with the credit requirement
—	Required data not specified - for required data contact manufacturer
×	Credit requirements are not fulfilled

Manufacturer **GEZE GmbH**

Product Name **Door Closer TS 5000 Range with Guide Rail**



*All values are based on the unit: 1 element

Detailed Rating	No	Product Name	Manufacturer	Mass per Unit* [%]	Steckbrief 06 Risiken für die lokale Umwelt				Steckbrief 08 Nachhaltige Ressourcenverwendung				
					Action Level 1	Action Level 2	Action Level 3	Action Level 4	Action Level 1	Action Level 2	Action Level 3		
	A1	Steel	GEZE GmbH	~ 52.2%	✓	✓	✓	✓	○	○	○	○	
	A2	Aluminium	GEZE GmbH	~ 44.2%	✓	✓	✓	✓	○	○	○	○	
	A3	Plastics	GEZE GmbH	~ 0.1%	✓	✓	✓	✓	○	○	○	○	
	A4	Lacquer	GEZE GmbH	~ 3.5%	✓	✓	✓	✓	○	○	○	○	
	A5												
	A6												
	A7												
	A8												
	A9												
	A10												
		Door Closer TS 5000 Range with Guide Rail	GEZE GmbH	100					✓	✓	✓	○	

Notice: This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The distribution by third parties is prohibited. This declaration is no official certificate in terms of DGNB. The contents are based on manufacturer specifications. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the actuality or correctness of the published data. The interpretation of the DGNB criteria requirements can differ and depend on the project and the scope of application. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the correctness of evaluation in terms of the DGNB requirements. The user of this declaration, the consumer of the product and the consultant/planner, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication of a new edition, this declaration can no longer be considered to be valid. The latest version is available in the internet. HOINKA GmbH • greenbuildingproducts.eu • Lembergweg 7/1 • 71067 Sindelfingen • Tel. +49 7031 7659-441 • Fax +49 7031 7659-443 • www.greenbuildingproducts.eu • contact@greenbuildingproducts.eu • Geschäftsführer: Dipl.-Ing. Thomas Hoinka

Manufacturer **GEZE GmbH**

Product Name **Door Closer TS 5000 Range with Guide Rail**
Criterion 06 Risks for the Local Environment - Ecological Quality
Detailed Rating

No	Product Name	Manufacturer	
A1	Steel	GEZE GmbH	
Product Type	Requirement	Contribution of Product	
There are no requirements for this product			

No	Product Name	Manufacturer	
A2	Aluminium	GEZE GmbH	
Product Type	Requirement	Contribution of Product	
There are no requirements for this product			

No	Product Name	Manufacturer	
A3	Plastics	GEZE GmbH	
Product Type	Requirement	Contribution of Product	
Plastics for windows, floorings or wall claddings	Action Level 1-3: ▪ No requirements Action Level 4: ▪ The product is free of lead, cadmium or tin stabilizer	The product is free of lead, cadmium or tin stabilizer.	

Manufacturer **GEZE GmbH**
Product Name **Door Closer TS 5000 Range with Guide Rail**


No	Product Name	Manufacturer
A4	Lacquer	GEZE GmbH
Product Type	Requirement	Contribution of Product
Paints and coatings (without anti-corrosion paints) Applied on non-mineral surfaces.	Action Level 4: VOC-content < 3% Action Level 3: VOC-content < 10% Action Level 2: VOC-content < 15%; RAL UZ 12a count as proof Action Level 1: VOC-content < 25%	VOC-content: <3%
Sealants, adhesives, and anti-corrosion Applied on mineral and non-mineral surfaces.	Action Level 4: VOC-content < 3% Action Level 3: VOC-content < 10% Action Level 2: VOC-content < 15%; RAL UZ 12a count as proof Action Level 1: VOC-content < 25%	VOC-content: <3%
Varnishes for walls, floorings, ceiling or roofs.	Action Level 1-2: ▪ No requirements Action Level 3-4: ▪ Pigments and siccatives in varnishes are free of lead, cadmium, chromium VI or their compounds.	Pigments and siccatives in the product contain no lead, cadmium, chromium VI or their compounds.